

DISTRICT OFFICE: CUTTACK.

NO. 77 /S.L.R. Dt. 13.3.06

TENDER CALL NOTICE.

Sealed tenders are invited from the authorised dealers/intending firms for purchase of one number of geon based Data Server and one number of laser printer as per the specification enclosed for office use on or before 23.3.2006 at 3 Pm. The tender will be opened on the same day i.e 23.3.2006 at 3.30 Pm in the office chamber of A.D.M. Cuttack in presence of the tenderer or his authorised agents. The price should be quoted including all taxes.

The undersigned reserved the right to reject any or all the tenders without assigning any reason there of.
By order of the collector.

S. A. G. / 14/3
Supdt. of Land Records
Collectorate, Cuttack.

a
Memo NO. 78 (5) /Dt. 13.3.06

Copy forwarded to the Notice Board of R.D.C. (CD) Cuttack/Bourd of Revenue Orissa Cuttack/S.C.B. Medical-College, Cuttack/Tahasildar Cuttack Sadar for information and wide publication and copy to Office notice Board.

S. A. G. / 14/3
Supdt. of Land Records
Collectorate, Cuttack.

a
Memo NO. 79 (2) /Dt. 13.3.06

Copy forwarded to P.A. to Collector, Cuttack/ Steno to A.D.M. Cuttack for kind information.

S. A. G. / 14/3
Supdt. of Land Records
Collectorate, Cuttack.

S. Arif 14/2

I. Server for Tehsils.

- Mother Board** : Intel Server Mother board/ Original OEM Mother board of MNC Brand.
- Processor** : **Single Intel Xeon 3.2 GHz** or higher processor with **integrated 1MB L2 cache** and **800 MHz FSB**. Support for dual processor.
- Chip Set** : Intel E7320/ equivalent Chipset with 800 MHz FSB Support.
- Memory** : **Single 1GB/ 2* 512MB** Dual Channel DDR SDRAM 333 MHz registered ECC extendable up to **8 GB**.
- Graphics Controller** : Integrated PCI SVGA video controller with 8 MB RAM.
- Expansion Slots** : PCI bus with minimum 4 PCI slots including 2 nos 64bit/ 66 MHz slots and one x4 PCI express slot.
- Network** : Integrated/ Add-on 10/100/1000 Mbps **Gigabit Ethernet** controller, auto sense and full duplex with UTP connector.
- SCSI Interface** : Integrated/ Add-on **Dual Channel Ultra320 SCSI** controller with maximum data transfer rate of 320 MB/sec and with an **external SCSI Interface**.
- HDD** : **2 x 72 GB** Ultra 320 SCSI hard drive (max. data Transfer capable up to **320 MB/sec**) (10K RPM)
- CD ROM** : 48x or Higher speed IDE CD ROM Drive.
- Floppy Disk Drive** : 1 no. 3.5", 1.44 MB IDE FDD.
- Backup Device** : **20/40 GB Internal SCSI SLR7** Cartridge Tape Drive.
- Monitor** : **17" SVGA** color monitor 0.27d dot pitch non- interlaced and TCO 99 compliant.
- Ports Available** : 1 Centronics Printer Port ECP/EPP,
1 Fast Serial ports,
1 PS/2 Mouse Port,
1 PS/2 Key board port
2 USB Ports.
- Key Board** : OEM Keyboard.
- Mouse** : **OEM Scroll Mouse** with pad and with driver S/W.
- Chassis** : Server chassis with front bezel locking facility covering all disk drives. Suitable **power supply with active PFC** to support full configuration including possible future up gradation.
At least 3 external peripheral bays.(5.25"x2 & 3.5" x 1)
At least one cooling fan excluding CPU & SMPS fans.
- Anti Virus** : **Latest Anti Virus software in CD Media** to take care of all and latest viruses.
- Manageability Features** :
 - Remote Management of the Server over LAN
 - Integrated Management Log
 - Server Health Logging
- OS Support** : Microsoft Windows 2003 Servers & LINUX.
- S/W to be Bundled** : The System software should be equipped with the System Configuration and Management Tools, OS Installation, Configuration Utility and System Information Utility Software. Driver Software for all the adapters as per the Configuration and OS required.
- Manuals** : All the related user manuals of the supplied systems and components.

Of MNC brand with 3 year Comprehensive on-site warranty. Make & Model to be indicated

II. Other Items for Tehsils.

- CTD Media.** : CTD SLR7 20/40 GB Media Cartridge (*SLRtape7*).
- MS Win 2003 Server.** : Up-gradation of MS Win NT 4.0 Server to MS Win 2003 Server Eng. OLP.

III. Laser Printer for Tehsils.

- Print technology* : Monochrome Laser printing.
- Resolution* : 1200 * 1200dpi.
- Print speed* : Up to 20 ppm in A4 (22 ppm in Letter) ; 10 seconds first page out.
- Duty Cycle* : 30,000 pages per month.
- Media sizes* : A4, A5, letter, legal, executive , 3 by 5 to 8.5 by 14 in.
- Media type* : Plain paper, envelopes, transparencies, card stock, postcards, labels.
- Media handling* : 250-sheet Cassette Tray, 50-sheet Multi Purpose Tray
- Memory* : 16 MB .
- Interface* : USB 2.0, IEEE1284 Parallel
- Print languages* : HP PCL 6, HP PCL 5e, PostScript Level 2
- Supported OS* : MS Windows98, NT/2000/2003Server, XP prof. Necessary device drivers to be provided on CD media.
- Power Supply* : 220-240V AC (50/60 Hz) input.
- Operating Env* : Temp. 10-32.5 °C, Humidity. 20-80% non-condensing.
- Certifications* : FCC.

Of MNC brand with 3 year Comprehensive on-site warranty. Make & Model to be indicated

2 + 1/2